CLAIMS

- 1. (Currently Amended) A method for normalizing text in a document, said method comprising the steps of:
- a) generating a list of reference words and phrases and a list of non-reference words and phrases from a selected group of documents;
- b) comparing said list of reference words and phrases with a joined list containing said reference words and phrases and said non-reference words and phrases, using an edit-distance algorithm to create an approximate duplicates list;
- c) filtering said approximate duplicates list to create a thesaurus of standard words and phrases and their variations; and
- d) editing said selected group of documents with an editor operable to use said thesaurus to replace a word or phrase on said approximate duplicates list with said standard words and phrases.
- 2. The method of Claim 1, wherein words and phrases from said selected group of documents that are on a stop word list are discarded.
- 3. The method of Claim 2, wherein words and phrases not discarded comprise said lists of reference and non-reference words and phrases.
- 4. (Currently Amended) The method of Claim 1, wherein said step of generating further comprises:
- a1) counting the frequency of occurrence of a plurality of words and phrases from said selected group of documents;
- a2) placing words and phrases with special characters embedded within them on said reference word list;

HP-10007911-1 Serial No.: 09/905,610

Examiner: Ludwig, M. 2 Group Art Unit: 2178

a3) processing words and phrases from said selected group of documents not already on said reference word list with a spell-checker program, wherein words and phrases that are recognized as correctly spelled are placed on said reference word list

and all unrecognized words and phrases are placed on said non-reference word list;

a4) setting a frequency of occurrence threshold for said reference word list, wherein words and phrases which have a frequency of occurrence below said threshold are discarded as irrelevant; and

a5) setting a word frequency threshold for said non-reference word list, wherein words and phrases which have a frequency of occurrence above said threshold remain on said non-reference word list.

5. The method of Claim 4, wherein said reference word list can be merged with an existing domain specific dictionary.

6. (Currently Amended) The method of Claim 1, wherein said step of comparing comprises:

b1) setting parameters for said edit distance algorithm;

b2) combining said reference word list with said non-reference word list to create [[a]] said joined list;

b3) comparing words and phrases on said joined list with words and phrases on said reference word list using said edit distance algorithm; and

b4) pairing words and phrases from said non-reference word list with words and phrases from said reference word list, wherein pairs of said words and phrases which are within said parameters of said edit distance algorithm are placed on said approximate duplicates list.

7. (Currently Amended) The method of Claim 6, wherein said step of comparing further comprises:

HP-10007911-1

Serial No.: 09/905,610 Group Art Unit: 2178

Examiner: Ludwig, M.

setting a parameter, based upon frequency of occurrence, for words and phrases not on said approximate duplicates list;

placing words and phrases not on said approximate duplicates list which are within said parameter on said reference word list; and

discarding words and phrases not on said approximate duplicates list which are outside said parameter.

- 8. (Currently Amended) The method of Claim 1, wherein said step of filtering comprises:
- c1) identifying the standard words and phrases to be contained within said thesaurus from said reference word list;
- c2) manually filtering said list of approximate duplicates, wherein approximate duplicates are paired with a standard word within said thesaurus; and
- c3) manually filtering said list of approximate duplicates, wherein approximate duplicates are paired with a standard phrase within said thesaurus.
- 9. (Currently Amended) A computer system comprising:
 - a bus;
 - a memory unit coupled to said bus; and
- a processor coupled to said bus, said processor for executing a method for normalizing text in a document, said method comprising the steps of:
- a) generating a list of reference words and phrases and a list of non-reference words and phrases from a selected group of documents;
- b) comparing said list of reference words and phrases with a joined list containing said reference words and phrases and said non-reference words and phrases using an edit-distance algorithm to create an approximate duplicates list;
- c) filtering said approximate duplicates list to create a thesaurus of standard words and phrases and their variations; and

HP-10007911-1

Examiner: Ludwig, M.

d) editing said selected group of documents with an editor operable to use said

thesaurus to replace a word or phrase on said approximate duplicates list with said

standard words and phrases.

10. The computer system of Claim 9, wherein words and phrases from said

selected group of documents that are on a stop word list are discarded.

11. The method of Claim 10, wherein words and phrases not discarded comprise

said lists of reference and non-reference words and phrases.

12. (Currently Amended) The computer system of Claim 9, wherein said step of

generating further comprises:

a1) counting the frequency of occurrence of a plurality of words and phrases

from said selected group of documents;

a2) placing words and phrases with special characters embedded within them

on said reference word list;

a3) processing words and phrases from said selected group of documents not

already on said reference word list with a spell-checker program, wherein words and

phrases that are recognized as correctly spelled are placed on said reference word list

and all unrecognized words and phrases are placed on said non-reference word list;

a4) setting a frequency of occurrence threshold for said reference word list,

wherein words and phrases which have a frequency of occurrence below said threshold

are discarded as irrelevant; and

a5) setting a word frequency threshold for said non-reference word list, wherein

words and phrases which have a frequency of occurrence above said threshold remain

on said non-reference word list.

5

The computer system of Claim 12, wherein said reference word list can be 13. merged with an existing domain specific dictionary.

14. (Currently Amended) The computer system of Claim 9, wherein said step of

comparing comprises:

b1) setting parameters for said edit distance algorithm;

b2) combining said reference word list with said non-reference word list to

create a joined list;

b3) comparing words and phrases on said joined list with words and phrases

on said reference word list using said edit distance algorithm; and

b4) pairing words and phrases from said non-reference word list with words

and phrases from said reference word list, wherein pairs of said words and phrases

which are within said parameters of said edit distance algorithm are placed on said

approximate duplicates list.

15. (Currently Amended) The computer system of Claim 14, wherein said step of

comparing further comprises:

setting a parameter, based upon frequency of occurrence, for words and phrases

not on said approximate duplicates list;

placing words and phrases not on said approximate duplicates list which are

within said parameter on said reference word list; and

discarding words and phrases not on said approximate duplicates list which

are outside said parameter.

16. (Currently Amended) The computer system of Claim 9, wherein said step of

filtering comprises:

c1) identifying the standard words and phrases to be contained within said

6

thesaurus from said reference word list;

HP-10007911-1

Serial No.: 09/905,610

Examiner: Ludwig, M.

Group Art Unit: 2178

- c2) manually filtering said list of approximate duplicates, wherein approximate duplicates are paired with a standard word within said thesaurus; and
- c3) manually filtering said list of approximate duplicates, wherein approximate duplicates are paired with a standard phrase within said thesaurus.
- 17. (Currently Amended) A computer-usable medium having computer-readable program code embodied therein for causing a computer system to perform the steps of:
- a) generating a list of reference words and phrases and a list of non-reference words and phrases from a selected group of documents;
- b) comparing said list of reference words and phrases with a joined list containing said reference words and phrases and said non-reference words and phrases using an edit-distance algorithm to create an approximate duplicates list;
- c) filtering said approximate duplicates list to create a thesaurus of standard words and phrases and their variations; and
- d) editing said selected group of documents with an editor operable to use said thesaurus to replace a word or phrase on-said approximate duplicates list with said standard words and phrases.
- The computer-usable medium of Claim 17, wherein words and phrases from 18. said selected group of documents that are on a stop word list are discarded.
- 19. The method of Claim 18, wherein words and phrases not discarded comprise said lists of reference and non-reference words and phrases.
- (Currently Amended) The computer-usable medium of Claim 17, wherein said 20. step of generating further comprises:

HP-10007911-1

Serial No.: 09/905,610 Examiner: Ludwig, M. 7 Group Art Unit: 2178 a1) counting the frequency of occurrence of a plurality of words and phrases

from said selected group of documents;

a2) placing words and phrases with special characters embedded within them

on said reference word list;

a3) processing words and phrases from said selected group of documents not

already on said reference word list with a spell-checker program, wherein words and

phrases that are recognized as correctly spelled are placed on said reference word list

and all unrecognized words and phrases are placed on said non-reference word list;

a4) setting a frequency of occurrence threshold for said reference word list,

wherein words and phrases which have a frequency of occurrence below said threshold

are discarded as irrelevant; and

a5) setting a word frequency threshold for said non-reference word list, wherein

words and phrases which have a frequency of occurrence above said threshold remain

on said non-reference word list.

21. The method of Claim 20, wherein said reference word list can be merged with

an existing domain specific dictionary.

22. (Currently Amended) The computer-usable medium of Claim 17, wherein said

step of comparing comprises:

b1) setting parameters for said edit distance algorithm;

b2) combining said reference word list with said non-reference word list to

create a joined list;

b3) comparing words and phrases on said joined list with words and phrases

on said reference word list using said edit distance algorithm; and

b4) pairing words and phrases from said non-reference word list with words

and phrases from said reference word list, wherein pairs of said words and phrases

which are within said parameters of said edit distance algorithm are placed on said approximate duplicates list.

23. (Currently Amended) The computer-usable medium of Claim 22, wherein said step of comparing further comprises:

setting a parameter, based upon frequency of occurrence, for words and phrases not on said approximate duplicates list;

placing words and phrases not on said approximate duplicates list which are within said parameter on said reference word list; and

discarding words and phrases not on said approximate duplicates list which are outside said parameter.

- 24. (Currently Amended) The computer-usable medium of Claim 17, wherein said step of filtering comprises:
- c1) identifying the standard words and phrases to be contained within said thesaurus from said reference word list;
- c2) manually filtering said list of approximate duplicates, wherein approximate duplicates are paired with standard words and phrases within said thesaurus: and
- c3) manually filtering said list of approximate duplicates, wherein approximate duplicates are paired with a standard phrase within said thesaurus.